



## Utah Cleanup Levels for Contaminated Groundwater

Utah has implemented Tier 1 RBCA for leaking UST sites. The Tier 1 screening levels shown below can only be applied when buildings, utility lines, and property lines are a distance greater than 30 feet from the contaminated source, and when water supply wells and surface water bodies are greater than 500 feet from the contaminant source.

Utah's RBCA Tier 2 process for determining site-specific cleanup levels can be found on our Web Site.

Product	Groundwater
Benzene	0.3mg/L
Toluene	3mg/L
Ethylbenzene	4mg/L
Xylenes	10mg/L
MTBE	0.2
Naphthalene	0.7mg/L
TPH-gasoline	10mg/L
TPH-diesel	10mg/L
Oil & Grease/TRPH	10mg/L

**Contact:** Brent H. Everett, P.G., Director, Division of Environmental Response and Remediation, (801) 536-4100

**Email:** [beverett@utah.gov](mailto:beverett@utah.gov)

**Web Site:** <http://www.deq.utah.gov/>



## Utah Cleanup Standards for Soils

Utah has implemented Tier 1 RBCA for leaking UST sites. The Tier 1 screening levels shown below can only be applied when buildings, utility lines, and property lines are a distance greater than 30 feet from the contaminant source, and when water supply wells and surface water are greater than 500 feet from the source. Utah's RBCA Tier 2 process for determining site-specific cleanup levels can be found on our Web Site.

Product	Action Levels
Benzene	0.9mg/kg
Toluene	25mg/kg
Ethylbenzene	23mg/kg
Xylenes	142mg/kg
MTBE	0.3
Naphthalene	51mg/kg
TPH-gasoline	1500mg/kg
TPH-diesel	5000mg/kg
Oil & Grease/TRPH	10,000mg/kg

**Contact:** Brent H. Everett, P.G., Director, Division of Environmental Response and Remediation, (801) 536-4100

**Email:** [beverett@utah.gov](mailto:beverett@utah.gov)

**Web Site:** <http://www.deq.utah.gov/>